

UNCLASSIFIED

AD NUMBER	
AD596100	
CLASSIFICATION CHANGES	
TO:	unclassified
FROM:	confidential
LIMITATION CHANGES	
TO:	Approved for public release, distribution unlimited
FROM:	Distribution authorized to U.S. Gov't. agencies only; Proprietary Information; AUG 1972. Other requests shall be referred to Commanding General, Deseret Test Center, Attn: STEP-D-TT-JP-I[S], Fort Douglas, UT 84113.
AUTHORITY	
DPG D/A ltr, 14 Sep 1979; DPG D/A ltr, 14 Sep 1979	

THIS PAGE IS UNCLASSIFIED

THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER EOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

AD- 596100

SECURITY REMARKING REQUIREMENTS

DOD 5270.1-R, DEC 78

REVIEW OF 28 AUG 79

CONFIDENTIAL

UNANNOUNCED

TRIAL RECORD/DFOTH-273

FIELD EVALUATION OF THE

NDQ SPRAY SYSTEM

PHASE A, TRIALS 1 - 4

BW Branch

Test Design and Analysis Office

Technical Operations Directorate

August 1959

AD596100

FILE COPY


"NATIONAL SECURITY INFORMATION"

"Unauthorized Disclosure Subject to Criminal Sanctions"

Distribution limited to U.S. Government agencies only. Proprietary Information. (2 Aug 59) Other requests for this document must be referred to the Commanding General, Deseret Test Center, Attn: STEPD-TT-JP-I(S), Fort Douglas, Utah 84113.

(U) This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Sections 793 and 794. The transmission or revelation of its contents in any manner to an unauthorized person is prohibited by law.

(U) The authority for this test is contained in Letter, CMLRD-D, dated 30 March 1959, subject: "Navy Spray Trials" Confidential.



U.S. Army
Chemical Corps Research and Development Command
U.S. Army Chemical Corps Proving Ground
Dugway Proving Ground
Dugway, Utah

Page 1 of 8 pages
Copy of 20 copies

DPG 9-1643

CONFIDENTIAL

ACCESSION for

NTIS White Section

DOC Bull Section

UNANNOUNCED

JUSTIFICATION

BY

DISTRIBUTION/AVAILABILITY CODES

Dist. Avail. and/or SPECIAL

ACCESSION for

NTIS White Section ☐

DOC Bull Section ☐

UNANNOUNCED

JUSTIFICATION

BY

DISTRIBUTION/AVAILABILITY CODES

Dist. Avail. and/or SPECIAL

B

DO NOT WRITE IN THESE SPACES
DO NOT WRITE IN THESE SPACES

CONFIDENTIAL

(U) The data reported herein are, in many cases, provisional in nature and are subject to change based upon re-evaluation of the original data. The general test data (Table 1) and the vertical tower impinger recoveries (Table 2) are given in tabular form, while the downwind impinger (Fig. 1) and Andersen sampler (Fig. 2) recoveries are presented in graphic form. A single Aero 14-B spray tank was used in these four trials; the discharge tube was equipped with an especially developed BW spider and the standard 90-degree diffuser.

(U) As shown in Table 1, the disseminator efficiencies for pre-impinger and impinger obtained in Trial A-4 are over-estimations which may be attributed, in part, to shifts in the wind direction at different heights that occurred shortly after the time of release. Meteorological instrumentation indicated that portions of the aerosol released both east and west of the vertical sampling tower converged with that portion of the aerosol released in the immediate vicinity of the tower, causing the samplers to collect a greater amount of material than otherwise would have been obtained.

(C) It should also be noted that the peripheral sampling data for Trial A-4, obtained over a 6-hour sampling period on U. S. Highway 40 at Clive, Utah, are unrealistic in relation to the calculated rate of travel for the aerosol cloud as a whole. The southerly wind pattern utilized for the dissemination was confined principally to the Aerial Spray Grid proper and to a narrow channel extending northward along the western edge of the Cedar Mountains toward Clive; elsewhere the winds were from the west or from the north. An analysis of the meteorological data indicates that the aerosol cloud crossed U. S. Highway 40 at the Clive station sometime between 0300 and 0430 MST on 10 July 1959. With the exception of Clive, the peripheral sampling stations had light westerly or

*See Figure 2, page 8, DPG Test Plan 446, Dugway Proving Ground, Utah, 19 June 1959. Confidential.

Proprietary information limited to U.S. Government agencies only.
For this document, (21 Aug 79) Other requests
General, Defense Test Center, Attn: STEPD-TT-JP-I(S),
Fort Douglas, Utah 84113.

Best Available Copy

CONFIDENTIAL

CONFIDENTIAL

northerly winds throughout the entire sampling period. At Clive, the winds shifted from the north to the south at 0300 hours, then back to the north after 0400 hours. From 0430 until 0830, low wind speeds and variable wind directions were recorded at this station. It is believed that the onset of these light and variable wind conditions caused a portion of the aerosol cloud to oscillate or stagnate in the vicinity of the Clive station, with the result that the Andersen sampler collected particles during three consecutive 2-hour sampling periods.

³
CONFIDENTIAL

CONFIDENTIAL

TABLE 1: Provisional Test Data, BW 446, Phase A, Trials A-1 - 4 (CONFIDENTIAL)

ITEM	TRIAL NUMBER			
	A-1	A-2	A-3	A-4
Date (1959)	7 July	8 July	8 July	9 July
Time (MST)	0018	2043	2233	2319
Ground Speed of Aircraft (mph)	350	480	490*	600
Flight Height at Tower (Feet)	232	125	150*	180
Wind Speed at Function Time (Tower)				
2 Meters (mph)	10.0	3.6	4.1	3.0
150 Feet (mph)	19.0	13.0	10.5	4.0
300 Feet (mph)	20.5	ND**	ND	6.0
Wind Direction at Function Time (Tower)				
2 Meters (°)	320	306	324	225
150 Feet (°)	310	342	342	135
300 Feet (°)	300	343	355	080
Length of Dissemination (Feet)	12,000*	12,000*	12,000*	76,000*
Dissemination Time (Seconds)	23.4	17.1	16.7*	88.0
Amount Disseminated (Gallons)	11.73	6.02	6.47	36.02
Flow Rate (Gallons per minute)	30	21	23	24.5
Agent Concentration ($\times 10^{10}$)	4.2	4.5	4.5	4.5
Disseminator Efficiency				
Pre-impinger (%)	82	66	61	143
Impinger (%)	11	6	9	26
Peripheral (U. S. Highway 40) Sampling Data for Trial A-4 ³				
Total Number of Particles per Sampling Period (MST)				
0230/0430	— ⁴	—	—	328
0430/0630	—	—	—	551
0630/0830	—	—	—	160

*Estimated.

**No data.

³Collected at Clive, Utah, 42 miles downwind from the vertex of the grid. The other five peripheral stations showed only background count.

⁴Not applicable (tower-fly-by).

CONFIDENTIAL

TABLE 2: Semi-pictorial Summary of Sampling Data, Trials A-1 through A-4,
BW 446 (CONFIDENTIAL)

HEIGHT ABOVE TERRAIN (Feet)	A-1		A-2		A-3		A-4	
	NO	WS/ ΔT	NO	WS/ ΔT	NO	WS/ ΔT	NO	WS/ ΔT
-300-		20.1/ +9.9		ND/ +11.3		ND/ +12.2		4.8 +12.9
298	0		0		0		825	
293	0		0		0		330	
288	0		0		0		888	
283	0		0		0		447	
278	0		0		0		547	
273	0		0		0		435	
268	0		0		0		1,975	
263	0		0		0		444	
258	0		0		0		1,789	
253	0		0		0		1,628	
248	0		0		0		1,087	
243	0		0		0		4,228	
238	0		0		0		3,330	
233	0		0		0		3,725	
228	0		0		0		5,135	
223	0		0		0		6,258	
218	0		0		0		12,948	
213	102		0		0		8,828	
208	1,895		0		0		15,900	
203	1,976		0		0		22,722	
-200-		19.6/ +9.8		14.7/ +11.3		9.6/ +11.7		1.5 +11.3
198	51,375		0		0		17,805	
193	235,950		0		0		35,862	
188	35,438		0		0		47,188	
183	4,588		0		0		59,288	
178	5,600		0		0		42,280	
173	46,440		0		0		72,348	
168	43,690		0		0		40,700	
163	24		0		0		33,420	
158	0		0		0		50,102	
153	0		0		0		70,878	
-150-		19.0/ +10.0		13.1/ +10.7		11.8/ +10.6		3.6 +10.1
148	0		0		1,193		139,998	
143	0		0		741		75,500	
138	0		0		1,131		111,000	
133	0		39		1,131		179,775	
128	0		45		1,131		93,048	
123	0		1,874		1,131		50,490	
118	0		28,470		1,131		430,000	
113	0		5,600		1,131		109,102	
108	0		8,080		1,131		97,892	
103	0		26,790		1,131		33,040	
-100-		19.3/ +9.6		10.7/ +9.1		11.1/ +11.1		4.0 +9.2
98	0		1,402		1,131		41,140	
93	0		14,118		1,131		4,730	
88	0		15,890		1,131		15,784	
83	0		25,410		1,131		13,138	
78	0		27,470		1,131		12,002	
73	0		30,300		1,131		9,504	
68	0		22,100		1,131		10,370	
63	0		15,040		1,131		10,200	
58	0		4,440		1,131		7,738	
53	0		1,390		1,131		6,098	
48	0		0		1,131		2,470	
43	0		0		1,131		1,604	
38	0		0		1,131		710	
33	0		0		1,131		0	
28	0		0		1,131		0	
23	0		0		1,131		0	
18	0		0		1,131		0	
13	0		0		1,131		0	
8	0		0		1,131		0	
-50-		11.2/ +1.1		3.4/ +1.8		3.6/ +1.6		2.1 +1.8
3	0		0		0		0	
-10-		6.9/ +0.6		2.0/ +0.5		1.7/ +0.5		1.8 +1.3

*Estimated number of NO organisms per impinger.
 •WS - Wind speed (mph); ΔT--Temperature gradient (1.5 m to indicated height, F°).
 -J-No data.
 •Recoveries denote sampling level immediately above release altitude.
 •Values in parentheses are interpolated.

CONFIDENTIAL

(CONFIDENTIAL)





Fig. 1.- Provisional impinger recovery of BG organisms, coastal array, Trial A-4, NW 446. Each figure indicates total number of organisms collected by a 6-liter-per-minute impinger in series with a pre-impinger.

CONFIDENTIAL

CONFIDENTIAL

(CONFIDENTIAL)



CONFIDENTIAL

~~CONFIDENTIAL~~

DISTRIBUTION LIST

Copy Number

- 1-3 Commanding Officer, U.S. Army Chemical Corps Research and Development Command, Washington 25, D. C., ATTN: Chief, Products Development Div
- 4 Director, U.S. Army Chemical Corps Operations Research Group, Army Chemical Center, Maryland
- 5-6 Commanding Officer, U.S. Army Biological Warfare Laboratories, Fort Detrick, Frederick, Maryland, ATTN: Director of Technical Services
- 7-8 Commanding Officer, U.S. Army Biological Warfare Laboratories, Fort Detrick, Frederick, Maryland, ATTN: Director of Development

Dugway Proving Ground

- 9 Commanding Officer, ATTN: Deputy Director of Scientific Activities
- 10 Chief, BW Operations Division
- 11-12 Classified Documents, Test Design and Analysis Office
- 13 Records Holding
- 14-15 Technical Library, TD&A
- 16-20 Retained in Technical Library, TD&A

~~CONFIDENTIAL~~